

Invitation to Bid
20160322 CUSTODIAL EQUIPMENT

Responses to an Invitation to Bid will be received by the Purchasing Supervisor, Sumner County Board of Education, 1500 Airport Road, Gallatin, TN 37066 for 20160322 CUSTODIAL EQUIPMENT until 9:00 a.m. CDT March 22, 2016. Bid responses will be opened at that time, taken under advisement and evaluated. Should you have any questions please contact Jaime York – Operations Manager at jaime.york@sumnerschools.org. All proposals are subject to the Board of Education's conditions and specifications which are available from Vicky Currey, Purchasing Supervisor (615) 451-6560. All bids can be viewed on line at www.sumnerschools.org.

NOTICE TO RESPONDENTS

Responses to an Invitation to Bid will be received by the Purchasing Supervisor in the SUPPORT SERVICE FACILITY CONFERENCE ROOM, Sumner County Board of Education, 1500 Airport Road Gallatin, TN 37066. They will be received until **9:00 A.M. Local Time MARCH 22, 2016** for **20160322 CUSTODIAL EQUIPMENT**, at which time the responses will be opened, taken under advisement and evaluated. **BIDS WILL BE POSTED ON www.sumnerschools.org**

GENERAL REQUIREMENTS AND CONDITIONS

1. The Sumner County Board of Education reserves the right to accept or reject any and/or all responses in whole or in part, and to waive informalities therein.
2. Any responses received after the scheduled closing time for the receipt for responses will not be considered.
3. If a mistake is discovered after the responses are received, only the Sumner County Board of Education may allow the respondent to withdraw the entire response.
4. Partial payments will not be approved unless justification for such payment can be shown. Terms will be net 30 days.
5. Payment will not be made until the said **20160322 CUSTODIAL EQUIPMENT** are inspected and approved as meeting all specifications by persons appointed by the Sumner County Board of Education.
6. Responses submitted must be in a sealed envelope and marked on the outside as follows:
RESPONSE: 20160322 CUSTODIAL EQUIPMENT
DEADLINE: MARCH 22, 2016 @ 9:00 A.M.
7. Facsimile responses will not be considered.
8. If a successful bidder violates any terms of their bid, the contract, school board policy or any law they may be disqualified from bidding for a period of two years for minor violations or longer for major violations. Bids from disqualified bidders will not be accepted during the period of disqualification.
9. Prices quoted on the response (if any) are to be considered firm and binding until the said **20160322 CUSTODIAL EQUIPMENT** are in the possession of the Sumner County Board of Education.
10. No purchase or contract is authorized or valid until the issuance of a Board Purchase Order in accordance with Board Policy. No Board Employee is authorized to purchase equipment, supplies or services prior to the issuance of such a Purchase Order.
11. Any deviation from these stated terms, specifications and conditions must be coordinated with and approved in writing by the Purchasing Supervisor, Vicky Currey (615) 451-6560.
12. All bids that exceed \$25,000 must have the Company Name, License Number, Expiration Date thereof and License Classification of Contractor listed on outside of sealed envelope. As required by State of Tennessee Code Annotated 62-6-119.
13. The awarded bidder will be required to post a performance and payment bond in the amount of 25% of the contract price if it exceeds \$100,000 as stated by State of Tennessee Code Annotated 12-4-201.
14. If the project cost in excess of \$25,000 a performance bond must be secured by the requesting party in an amount equal to the market improvement value.

SPECIFICATIONS

The Sumner County Board of Education is soliciting bids for custodial equipment. This equipment is to be delivered to Larry Riggsbee Support Services Facility, 1500 Airport Road, Gallatin, TN 37066.

Your price is to include delivery, set-up and training on the equipment. Equipment and the Custodians will determine the amount of training. Training is to continue until all custodians feel comfortable with the equipment.

All specifications must be met, and bids will be awarded only for items that meet all specifications! Items will be line item awarded.

The following are the requirements for equipment:

POWERED FLOOR SCRUBBER 20"

Equal to or better than Viper Fang 20HD

20" Traction-Drive Automatic Scrubber

Squeegee Assembly must be included

Pad Holder must be included

Sealed gel batteries and charger system must be included

COMMERCIAL GRADE VACUUM

Equal to or better than Advance Spectrum 15P

1500 RPM FLOOR BUFFER

Equal to or better than Viper Venom, VN1500

Brush assembly must be included

Buffer must be capable of use with spray buff

FLOOR BUFFER

Equal to or better than Viper VN2015

Brush assembly must be included

WET DRY VACUUM

Equal to or better than Tennent V-WV-15S

Include Standard Equipment:

10 ft. vacuum hose, one cloth and one paper filter bag, 26" wide front mount squeegee

Include Optional Contractor Tool Kit:

Dual bend aluminum wand, 14" squeegee, wet and dry pick up kit

SQUARE SCRUB

Bid Square Scrub EBG-28-V ONLY

Must include HEPA Dry Vac Kit

BID SHEET

Include with your bid a descriptive brochure and specifications of the equipment bid.
More or less of any item may be ordered.

| | | |
|-----------------------|----------|--------------|
| POWER SCRUBBER 20" | Up to 4 | \$ _____ ea. |
| COMMERCIAL VACUUM | Up to 20 | \$ _____ ea. |
| 1500 RPM FLOOR BUFFER | Up to 5 | \$ _____ ea. |
| 175 RPM FLOOR BUFFER | Up to 5 | \$ _____ ea. |
| WET/DRY VACUUM | Up to 10 | \$ _____ ea. |
| SQUARE SCRUB | Up to 10 | \$ _____ ea. |

COMPANY NAME: _____

ADDRESS: _____

PHONE: _____

SIGNATURE OF AUTHORIZED COMPANY REPRESENTATIVE:

DATE

Fang™ 20HD

20" Traction-Drive Automatic Scrubber



VIPER

*Exceptional Value
Floor Cleaning Equipment*

Simple. Rugged. Affordable.



Fang™ 20HD

20" Traction-Drive Automatic Scrubber



STANDARD FEATURES:

SIMPLE

- Easy-to-use, fingertip controls
- Forward and reverse drive
- All operational functions are within easy reach
- Parabolic squeegee for easy and complete solution pick-up
- Free online training video shows use and care of scrubber for optimal performance

RUGGED

- 12-year housing warranty
- 5-year warranty on motors
- Transaxle drive
- Heavy-duty, cast aluminum squeegee assembly
- Pad pressure up to 200 lbs.
- Engineered to withstand heavy, daily use in a variety of commercial applications

AFFORDABLE

- Best value in the industry
- Charger, pad driver, and squeegee assembly included
- High cleaning productivity rate
- Extra set of squeegee blades included and stored on-board
- Backed by the most extensive, hassle-free warranty in the business

TECHNICAL SPECIFICATIONS:

| FANG20HD SPECS | USA | Metric |
|-----------------------------|----------------------------|-----------------------------|
| Cleaning Path | 20 in | 50.8 cm |
| Solution Tank | 16 gal | 61 ltr |
| Recovery Tank | 16 gal | 61 ltr |
| Pad Size | 20 in | 50.8 cm |
| Pad Pressure, Variable | Up to 200 lbs | Up to 91 kg |
| Squeegee, Easy to Remove | 28 in | 71.2 cm |
| Speed Control | Variable fwd./rev. | Variable fwd./rev. |
| Cleaning Productivity (Max) | 21,600 ft ² /hr | 2,006 m ² /hr |
| Drive System | .33 hp, transaxle drive | .24 kW, transaxle drive |
| Wheels, Non-marking Grey | (2) 8 in | (2) 20.3 cm |
| Brush Motor, rpm Speed | .75 hp, 200 rpm | .55 kW, 200 rpm |
| Vacuum Motor, Waterlift | 2-stage, 55 in waterlift | 2-stage, 139.7 cm waterlift |
| Optional Batteries | Two 12V, 215 amp/hr | Two 12V, 215 amp/hr |
| Charger | 18 amp, shelf charger | 18 amp, shelf charger |
| Run Time per Charge | Approx. 4.5-5 hrs | Approx. 4.5-5 hrs |
| Weight without Batteries | 235 lbs | 106.5 kg |
| Ship Weight w/o Batteries | 400 lbs. | 181 kg |
| Dimensions (L x W x H) | 56.7 in x 22 in x 39 in | 144 cm x 56 cm x 99 cm |

Specifications are subject to change without notice.



Manuals, parts, and videos
may be viewed online at
www.usviper.com

Distributed By:

Viper North America

P.O. Box 104 · Hamilton, MI 49419

Toll Free: 866.418.4737

Fax: 269.751.2605

www.usviper.com

Spectrum™ 12P & 15P

Single Motor Upright Vacuums



Advance

FACT SHEET



Better dirt pickup. Better filtration. Better value.

Advance's 12 inch and 15 inch Spectrum single-motor upright vacuums deliver superior results with performance where it matters most: dirt pickup and filtration. Upright vacuums rely on a combination of dirt pickup to remove soil from carpets and filtration to ensure that dust and other airborne particles stay captured. Spectrum's innovative design has earned the CRI (Carpet & Rug Institute) Seal of Approval — signifying that Spectrum meets the industry's newest dirt pickup and filtration standards for vacuum performance. These standards are more stringent than those for Green Label certification. And at a budget-conscious price, it offers better performance at a fraction of the cost to clean.

Despite its budget-friendly price tag, Spectrum outperforms more expensive upright vacuums with its superior dirt pickup power. The two-stage, 1,000 watt motor in Spectrum™ vacuums allows operators to pull dirt and dust from carpets in a single cleaning pass. The unique design of the power head creates a seal with the carpet surface to agitate and capture dirt and dust that other vacuums miss. Not only will carpets look cleaner, but single-pass cleaning will also increase productivity.

True soil removal also requires proper filtration to ensure that dirt particles aren't released back into the air, and Spectrum doesn't disappoint. CRI standards require a vacuum to not release more than 100 micrograms of dust particles per cubic meter of air, and consider ratings of less than 25 micrograms of dust particles released to be exceptional. Spectrum emits just 6 micrograms per cubic meter of airflow exhaust, an astounding measure that says when Spectrum picks up dirt, it stays picked up! Spectrum's filtration performance is due to the vacuum's three-stage filtration system, which includes a certified H.E.P.A. filter — an important distinction that guarantees each filter has been tested for true H.E.P.A. performance by an independent third-party laboratory. The result is superior indoor air quality that operators and building occupants will surely appreciate.

A full complement of tools and user-friendly design features makes Spectrum easy to use and maintain. Operators will appreciate the versatile quick-draw detailing wand, simple brush and handle height adjustments, and the convenient cord restraint and storage features. Vacuum maintenance is a breeze thanks to features such as a bag full/clog light, unique quick-change bag design, and a service-free belt system with a two-year warranty.

Spectrum actually outperforms upright vacuums sold at up to twice the price. When compared on dirt pickup and filtration, Spectrum literally leaves its more expensive counterparts in the dust — proof that you don't always have to pay more to get the superior vacuum performance you want.

STANDARD ACCESSORIES INCLUDE

- Crevice Tool
- Upholstery Tool

TYPICAL APPLICATIONS INCLUDE

- Hotels / Motels
- Hospitality
- Hospitals
- Long-term Care Facilities
- Building Service Contractors
- Retail Facilities
- Government Facilities
- Education

FEATURES AND BENEFITS

- CRI Seal of Approval for vacuums
- Better dirt pickup than competitors
- Better filtration — certified H.E.P.A. filter standard



Advance Spectrum™ 12P & 15P

Single Motor Upright Vacuums



Quick change bag is the first level of filtration



Cord restraint protects against cord abuse



Tools-free access to remove brush



Certified H.E.P.A. is the final filtration stage



Accessories are conveniently tucked behind the vacuum wand



Defining Cleaning Innovation...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your Advance machines from factory-trained personnel around the world. Fast parts delivery, too.
- Maintain peak performance with Nilfisk Genuine OEM Parts.

Nilfisk Genuine OEM Parts

Technical Specifications

| Model | Spectrum™ 12P | Spectrum™ 15P |
|--------------------------------------|--|---|
| Vacuum Motor | 120 V, 60 Hz, 1,000 W, 9 amp, 2-stage – BOTH MODELS | |
| Motor Protection | Airflow bypass valve and thermal overload protection – BOTH MODELS | |
| Suction (waterlift) / Airflow | 92 in / 93 cfm | 92 in / 93 cfm |
| Brush | Dual row, chevron style, nylon with variable manual adjustment – BOTH MODELS | |
| Brush Speed | 2,800 RPM | 2,800 RPM |
| Cleaning Path | 11.5 in (29.2 cm) | 14.5 in (36.8 cm) |
| Filtration | 2-ply paper filter bag, motor protection filter, certified H.E.P.A. exhaust filter – BOTH MODELS | |
| Bag Capacity | 4.2 qt (4 L) | 4.2 qt (4 L) |
| Power Cable | 50 ft (15 m) 18/3 wire, safety yellow – BOTH MODELS | |
| Sound Level | 69 dB A | 69 dB A |
| Onboard Tools | 4:1 stretch hose, wand, crevice and upholstery tools – BOTH MODELS | |
| Dimensions (LxWxH) | 13 in x 12 in x 44 in (33 cm x 30 cm x 113 cm) | 13 in x 15 in x 44 in (33 cm x 38 cm x 113 cm) |
| Weight (with cord) | 19.8 lb (9 kg) | 20.1 lb (9.1 kg) |
| Warranty | Motor and belts – 2 Years, Non-wear parts – 1 Year, Labor – 1 Year – BOTH MODELS | |
| Part Number | 9060107020 | 9060307020 |

Specifications are subject to change without notice.



14600 21st Avenue North
Plymouth, MN 55447-3408
www.advance-us.com
Phone: 800-850-5559
Fax: 800-989-6566

240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2
www.nilfisk-advance.com
Phone: 905-564-1149 or 800-668-8400
Fax: 905-564-1030 or 800-263-5111

©2010, Nilfisk-Advance, Inc.,
Printed in U.S.A., Form L3072A, 1-10



Wet/Dry Vacuums



High-performance wet/dry vacuums to fit your cleaning needs.

Clean longer

Reduce the number of empty/fill cycles with either large capacity 15 gallon/57 liter or 16 gallon/60 liter tank.

Reduce maintenance costs

Prevent damage to the machine and your facility with a compact, rugged body made of durable polyethylene, backed by a 10-year warranty.

Multiple options

Choose a unit that's right for the application—whether it's the standard 15 gallon/57 liter unit, a pump out model, which pulls at a high rate and allows for easy emptying into taller sinks, or the battery operated model for greater flexibility and maneuverability. Optional tools and squeegees are available.



V-WD-15
(shown with optional squeegee)

Key Benefits


- Prevent vacuum damage with the float shut-off
- Gain easy access to the recovery tank and float shut-off with the flip-top lid
- Choose the wet/dry vacuum that's right for the application; a standard unit, battery operated or a pump-out model



V-WD-16B

Wet/Dry Vacuums



| Features | Specifications* | | |
|--|--|--|--|
| Product Name | V-WD-15/V-WD-15S  | V-WD-16P | V-WD-16B |
| Vacuum System | | | |
| Airflow at orifice | 103 cfm / 2.9 m ³ /hr | 112 cfm / 3.17 m ³ /hr | 70 cfm / 1.98 m ³ /hr |
| Water lift at sealed orifice | 92 in / 2336 mm | 107 in / 2717 mm | 70 in / 1778 mm |
| Motor amps | 8.5 A | 10.7 A | 23 A |
| Motor diameter | 5.7 in / 144 mm | 5.7 in / 144 mm | 5.7 in / 144 mm |
| Motor HP | 1.3 hp / .97 kW | 1.6 hp / 1.2 kW | .75 hp / .56 kW |
| Motor stages | 2 stage | 2 stage | 3 stage |
| Motor voltage | 120 V | 120 V | 24 V |
| Motor power | 980 watts | 1253 watts | 566 watts |
| Debris Recovery System | | | |
| Filter description | Cloth bag / paper bag / intake filter | Cloth bag / paper bag / intake filter | Cloth bag / paper bag / intake filter |
| Recovery tank wet capacity | 15 gal / 57 L | 16 gal / 60.57 L | 16 gal / 60.57 L |
| Vacuum hose length | 10 ft / 3 m | 10 ft / 3 m | 10 ft / 3 m |
| Chassis & Body Construction | | | |
| Chassis construction | Rotationally-molded polyethylene | Rotationally-molded polyethylene | Rotationally-molded polyethylene |
| Caster diameter | 4 in / 102 mm | 4 in / 102 mm | 4 in / 102 mm |
| Wheel diameter | 10 in / 255 mm | 10 in / 255 mm | 12 in / 305 mm |
| Power System | | | |
| Cord electric (cord length) | 50 ft / 15 m | 50 ft / 15 m | — |
| Battery (run time per charge) | — | — | 4 hours continuous |
| Standard Equipment | | | |
| Equipment | 10 ft x 1.5 in / 3048 mm x 31.8 mm vacuum hose, one cloth and one paper filter bag, Contractor tool kit; dual bend aluminum wand with 14 in / 356 mm squeegee. | 10 ft x 1.5 in / 3048 mm x 31.8 mm vacuum hose and cloth filter bag | 10 ft x 1.5 in / 3048 mm x 31.8 mm vacuum hose, one cloth and one paper filter bag, two batteries and battery charger |
| Optional Accessories | | | |
| Accessories | Various sized front-mount squeegee kits, wet recovery bag, wet pick-up kit, contractor tool kit and dry tool kit. | Various sized front-mount squeegee kits, wet recovery bag, wet pick-up kit, contractor tool kit and dry tool kit | Various sized front-mount squeegee kits, wet recovery bag, cloth filter bag, wet pick-up kit, contractor tool kit and dry tool kit |
| Standard Equipment | | | |
| Equipment (V-WD-15S only) | 10 ft x 1.5 in / 3048 mm x 31.8 mm vacuum hose, one cloth and one paper filter bag, and 26 in / 660 mm front mount squeegee | NA | NA |
| Optional Accessories | | | |
| Accessories (V-WD-15S only) | Contractor tool kit; dual bend aluminum wand with 14 in/ 356 mm squeegee, wet pick up kit and dry tool kit. | NA | NA |
| Dimensions | | | |
| Product Height | 37.5 in / 950 mm | 35 in / 890 mm | 43 in / 1092 mm |
| Product Length | 29 in / 730 mm | 30 in / 762 mm | 33 in / 840 mm |
| Product Width | 15.5 in / 390 mm | 20 in / 510 mm | 21 in / 533 mm |
| Product Weight | 44 lb / 20 kg | 64 lb / 29.03 kg | 97 lb / 44 kg |
| Approvals | — | CSA, ETL | — |
| Warranty | See your sales representative or authorized distributor for complete warranty details. | | |

*specifications subject to change without notice

1100-56 02/11

©2011 Tennant and Nobles are registered trademarks of Tennant Company, whose products are sold and serviced through Tennant Sales and Service Company, as well as through distributors.

Tennant
701 North Lilac Drive
Minneapolis, MN 55440
USA

800.553.8033
763.540.1200
In Quebec: 800.361.9050

www.tennantco.com
info@tennantco.com

Venom™, VN1500

20", 1500 rpm, High-Speed Burnisher



STANDARD FEATURES:

SIMPLE

- Easy-to-use, fingertip controls
- Large transport wheels
- Minimal training required
- Handle-mounted circuit breaker
- Safety lock-out switch

RUGGED

- 5-year housing warranty
- 5-year warranty on motor
- DC rectified motor
- All-metal construction
- CSA approved
- Engineered to withstand heavy, daily use in commercial applications

AFFORDABLE

- Best value in the industry
- Flexible pad driver included
- High cleaning productivity rate
- Backed by the most extensive, hassle-free warranty in the business

TECHNICAL SPECIFICATIONS:

| VN1500 SPECS | USA | Metric |
|----------------------------|-----------------------|--------------------------|
| Deck Size | 20 in | 50.8 cm |
| Pad/Brush Speed | 1500 rpm | 1500 rpm |
| Voltage | 110 V | 110 V |
| Horsepower | 1.5 hp | 1.1 kW |
| Motor | dc rectified | dc rectified |
| Sound Level | 68 dBA | 68 dBA |
| Power Cable, Safety Yellow | 50 ft | 15.2 m |
| Wheels, Non-marking Grey | (2) 5 in | (2) 12.7 cm |
| Amp Draw | 13.5 amps | 13.5 amps |
| Weight | 88 lbs | 40 kg |
| Shipping Weight | 102 lbs | 46 kg |
| Dimensions (L x W x H) | 35 in x 20 in x 48 in | 89 cm x 50.8 cm x 122 cm |

Specifications are subject to change without notice.



Manuals, parts,
and videos may be
viewed online at
www.usviper.com

Distributed By:

Viper North America

P.O. Box 104 · Hamilton, MI 49419

Toll Free: 866.418.4737

Fax: 269.751.2605

www.usviper.com

Venom™, VN1500

20", 1500 rpm, High-Speed Burnisher



VIPER

*Exceptional Value
Floor Cleaning Equipment*

Simple. Rugged. Affordable.



Venom™, VN2015 & VN1715

20" & 17", 175 rpm, Low-Speed Buffers



VIPER

*Exceptional Value
Floor Cleaning Equipment*

Simple. Rugged. Affordable.



Venom™, VN2015 & VN1715

20" & 17", 175 rpm, Low-Speed Buffers



STANDARD FEATURES:

SIMPLE

- Easy-to-use, fingertip controls
- Motor-mounted pad driver storage
- Universal clutch plate
- Safety lock-out switch


RUGGED

- 5-year housing warranty
- 5-year warranty on motor
- All-steel, triple planetary gear box
- 1.5 hp, 66-frame motor
- All-metal construction
- CSA approved
- Designed for heavy, daily use

AFFORDABLE

- Best value in the industry
- Pad driver included
- High cleaning productivity rate
- Backed by the most extensive, hassle-free warranty in the business

TECHNICAL SPECIFICATIONS:

| SPECIFICATIONS |  VN2015 | VN1715 |
|----------------------------|--|---|
| Deck Size | 20 in (50.8 cm) | 17 in (43.2 cm) |
| Pad Driver | 19 in (48.3 cm) | 16 in (40.6 cm) |
| Pad/Brush Speed | 175 rpm | 175 rpm |
| Voltage | 110 V | 110 V |
| Horsepower | 1.5 hp (1.1 kW) | 1.5 hp (1.1 kW) |
| Motor, Heavy-duty | 66-frame | 66-frame |
| Gear Box, All-steel | Triple planetary | Triple planetary |
| Sound Level | 63 dBA | 63 dBA |
| Power Cable, Safety Yellow | 50 ft (15.2 m) | 50 ft (15.2 m) |
| Wheels, Non-marking Grey | (2) 5 in (12.7 cm) | (2) 5 in (12.7 cm) |
| Amp Draw | 13 amps | 13 amps |
| Weight | 109 lbs (49.4 kg) | 101 lbs (45.8 kg) |
| Shipping Weight | 123 lbs. (55.8 kg) | 120 lbs. (54.4 kg) |
| Dimensions (L x W x H) | 27 in x 20 in x 48 in (65.6 cm x 50.8 cm x 122 cm) | 27 in x 17 in x 48 in (65.6 cm x 43.2 cm x 122 cm) |
| Optional Solution Tank | 2.5 gal (9.46 ltr) | 2.5 gal (9.46 ltr) |
| Optional Deck Sizes | 15-in and 13-in decks 38 cm and 33 cm decks | 15-in and 13-in decks 38 cm and 33 cm decks |

Manuals, parts,
and videos may be
viewed online at
www.usviper.com



Specifications are subject to change without notice.

Distributed By:



Viper North America

P.O. Box 104 · Hamilton, MI 49419

Toll Free: 866.418.4737

Fax: 269.751.2605

www.usviper.com

EBG-28

Surface Preparation Machine

SQUARE SCRUB

Our **NEW**
28 inch machine
covers **40%** more
work area than the
EBG-20 series

A Real Heavyweight

Transport Weight

81 lbs

Operating Weight

216lbs

Use with Over 30 Different Tools

Productivity²

Screens Gym Floors up to 10,000
sq ft/hour with 120 Grit Sandscreen

Preps Waxed VCT Surfaces up to
3,600 sq ft/hour with SQP Pad



AMERICAN MADE



www.squarescrub.com
1-800-557-6822

SQUARE SCRUB

EBG-28

1-800-557-6822

Durable

www.squarescrub.com


- 1-Year Warranty on Parts and Labor
- 2-Year Manufacturer's Warranty on Motor
- 3/4" Steel Axle
- 7-Gauge Steel Frame
- 8 Heavy Duty Isolators
- **Solid** - American Made!

Technical Information


- Transport Weight - 81lbs (w/No Weights or Handle)
- Total Assembled Weight - 216 lbs
- 1.5 hp Motor
- 3450 rpm
- Operating Sound Output 69 dba
- Power Cord (50 ft)
- 6" x 2" Non-Marking Wheel with Ball Bearings
- Works on Any Floor
- Works on Wet or Dry Surfaces
- Adjustable Handle

Optional Features

- Two-Piece Handle
- Built-in Hour Meter



**Removable
Weights to Tackle
Any Project**



Easy Transport



**Two-Piece
Handle
(Optional)**



American Made


Note: Specifications are Subject to Change Without Notice

Square Scrub® Machine Hepa Dry Vacuum System


SS EBG-HDVK

**SQUARE
SCRUB**
Versatility²
www.squarescrub.com | 800-557-6822

Mounting brackets,
power tee block and
hose included.



HEPA Rated and
Carpet and Rug
Institute Certified



Draws only 4.5 amps so it can connect directly
into the machine's power supply.

\$339.00

Can Be Converted to a
Backpack Vac

Accessories



\$11.48

6 Qt. Cloth Bags
SS EBG-HDVK-CB

HEPA Dome Filter
SS EBG-HDVK-HDF



\$18.70

**Ultimate Hepa Micro
Lined Bag**



\$18.90

10/Case
SS EBG-HDVK-UHB

\$97.00



**SS EBG-HDVK-TK
Backpack Toolkit**