Invitation to Bid

20170123-BOE

Ground Maintenance Equipment

Responses to an Invitation to Bid will be received by the Purchasing Supervisor, Sumner County Board of Education, 1500 Airport Road, Gallatin, TN 37066 for 20170123-BOE GROUND MAINTENACE EQUIPMENT FOR VARIOUS SUMNER COUNTY SCHOOLS until 10:30 a.m. Local time January 23,2017 Bid responses will be opened at that time, taken under advisement and evaluated. All proposals are subject to the Board of Education's conditions and specifications which are available from Vicky Currey, Purchasing Supervisor (615) 451-6560. All bids can be viewed on line at www.sumnerschools.org.

NOTICE TO RESPONDENTS

Responses to an Invitation to Bid will be received by the Purchasing Supervisor in the SUPPORT SERVICE FACILITY CONFERENCE ROOM, Sumner County Board of Education, 1500 Airport Road Gallatin, TN 37066. They will be received until 10:30 A.M. Local Time JANUARY 23,2017 for 20170123-BOE GROUND MAINTENANCE EQUIPMENT FOR VARIOUS SUMNER COUNTY SCHOOLS at which time the responses will be opened, taken under advisement and evaluated. BIDS WILL BE POSTED ON www.sumnerschools.org

GENERAL REQUIREMENTS AND CONDITIONS

- 1. The Sumner County Board of Education reserves the right to accept or reject any and/or all responses in whole or in part, and to waive informalities therein.
- Any responses received after the scheduled closing time for the receipt for responses will not be considered.
- 3. If a mistake is discovered after the responses are received, only the Sumner County Board of Education may allow the respondent to withdraw the entire response.
- 4. Partial payments will not be approved unless justification for such payment can be shown. Terms will be net 30 days.
- Payment will not be made until the said GROUND MAINTENANCE EQUIPMENT are inspected and approved as meeting all specifications by persons appointed by the Sumner County Board of Education.
- 6. Responses submitted must be in a sealed envelope and marked on the outside as follows: **RESPONSE: Ground Maintenance Equipment for Sumner County Schools**

DEADLINE: January 23, 2017 10:30 a.m. Local time

- 7. Facsimile responses will not be considered.
- 8. If a successful bidder violates any terms of their bid, the contract, school board policy or any law they may be disqualified from bidding for a period of two years for minor violations or longer for major violations. Bids from disqualified bidders will not be accepted during the period of disqualification.
- Prices quoted on the response (if any) are to be considered firm and binding until the said GROUND MAINTENANCE EQUIPMENT are in the possession of the Sumner County Board of Education.
- 10. No purchase or contract is authorized or valid until the issuance of a Board Purchase Order in accordance with Board Policy. No Board Employee is authorized to purchase equipment, supplies or services prior to the issuance of such a Purchase Order.
- 11. Any deviation from these stated terms, specifications and conditions must be coordinated with and approved in writing by the Purchasing Supervisor, Vicky Currey (615) 451-6560.
- 12. All bids that exceed \$25,000 must have the Company Name, License Number, Expiration Date thereof and License Classification of Contractor listed on outside of sealed envelope. As required by State of Tennessee Code Annotated 62-6-119.
- 13. The awarded bidder will be required to post a performance and payment bond in the amount of 25% of the contract price if it exceeds \$100,000 as stated by State of Tennessee Code Annotated 12-4-201.
- 14. If the project cost in excess of \$25,000 a performance bond must be secured by the requesting

GROUND MAINTENANCE EQUIPMENT

Equal or Equivalent to:

PR15-GATOR TS (KNOBBY TIRES) MY16

Included in Base Price

- ✓ US/Canada
- ✓ PR15 Gator TS (Knobby Tires)
- ✓ Wheels With Tires (FOUR) KT (Knobby) Tires
- ✓ Driver Seat
- V Driver Seat
 Non Adjustable Seat

 ✓ Cargo Box Power Lift
 Latch and Prop Rod Included

 ✓ Protection Package
 ✓ Front Bumper & Brush Guard
 ✓ Rear Receiver Hitch

DescriptionP	Price \$
Notes	

Equal or Equivalent to:

John Deere Gator TX (MY16

Included in Base Price

- ✓ US/Canada
- ✓ At(All Terrain) Tires
- ✓ Non Adjustable Seat
- ✓ Deluxe Cargo Box With Paint And Reflectors
- ✓ Power Lift
- ✓ Front Protection Package
- ✓ Rear Protection Package
- ✓ PR EX AT Tires Non Adjustable Seat

Description	_Price \$
Notes	

JOHN DEERE Z930M COMMERCIAL ZTrak

Included in Base Price

- ✓ US/Canada
- ✓ 24x12x12 Pneumatic Turf Tire for 54in.and 60in. Decks
- ✓ Side Discharge Mower Deck

✓	Fully Adjustable Suspension Seat and Armres	ets
	Description	_Price \$
	Notes	
Equal o	r Equivalent to:	
JOHN D	EERE Z915B COMMERCIAL ZTrak	
Include	d in Base Price	
\checkmark	US/Canada 24x12x12 Pneumatic Turf Tire for 54in.and 60 Side Discharge Mower Deck Deluxe Comfort Seat With Armrests	Din. Decks
	Description	_Price \$
	Notes	
Resider	ntial Mower	
	Zero Turn Riding Mower 60 in Deck	
	Description	_Price \$
	Notes	

Home / Aeration / TC125 Turf Collection System

TC125 Turf Collection System

Ideal for collecting cores, leaves, clippings, thatch & other types of debris Cleans average green in 15 minutes Hydraulically driven brush system

Sweeping swath

48-in (121.9-cm)

Hopper Capacity

25 cu ft (0.71 cubic meters)

Dumping height

49 in (124.5 cm)

Specifications

Powered by either a compact utility tractor or HDUV with a

Selective Control Valve (SCV). Hydraulic requirements: 23

L/min

Vehicle requirements

6 gpm

Minimum continuous: 13.8 MPa

2,000 psi

121.9 cm

48 in.

Hopper capacity

Gathering width

0.71 m³

25 cu ft

Hitch

Attaches with standard hitch pin: 19 mm

0.75 in.

Offset towing feature

Allows the unit to be towed directly behind or offset to the

left side of the vehicle. Easily performed while operator

remains seated.

Hydraulic collection

3 quick-disconnect couplers (2 rotary brush, 1 lift cylinder)

TC125 Turf Collection System

Continued

Pick-Up system

Brush speed	Direct drive hydraulic motor: 500-600 rpm	
Rollers	Brush aggressiveness and flotation is controlled by a 6-in (15.24 cm) diameter full width roller directly behind the rotary brush. The roller height can be adjusted to accommodate the turf conditions and degree of brush wear.	
Productivity	Clears an average green in 15 minutes	
Tires	26.5x14-12	
Dimensions	***	
Height	Lowered: 162.5 cm 64 in. raised: 368 cm	
	145 in.	
Length	350.5 cm 138 in.	
Width	238.7 cm 94 in.	
Weight	578 kg 1250 lb	
Dump height clearance	120 cm 49 in.	
Description	Price \$	
Notes		

Hydraulic powered rotary brush

7700A Precision Cut Fairway Mower

Reel 7-in (17.8 cm)

diameter:

Compliance: US/CAN Tier 4

Cutting width:

100-in (254 cm)

- Cutting units are stable and fold inside the front tires for easy transporting
- Quick Adjust 7 cutting units Rotate for Service RFS™
- GRIP All-Wheel Drive Traction System
- eHydro™ hydrostatic pump and large-capacity wheel motors
- Double-acting, single-rod hydraulic steering cylinder
- TechControl display
- Easily accessible daily service points
- LoadMatch™ electronic setting
- 26x14-12 front tires
- 20x10-8 tires in the rear

Description	 _Price \$
Notes	

7700A PRECISION CUT

Maximum rated hp: 41.6 hp (31 kW)
Reel diameter: 7-in (17.8 cm)
Compliance: US/CAN Tier 4
Cutting width: 100-in (254 cm)

- Cutting units that contact up stops for transport.
- eHydro™ hydrostatic pump
- AutoPedal
- Quick Adjust 7 cutting units Rotate for Service RFS
- Double-acting, single-rod hydraulic steering cylinder
- TechControl display
- LoadMatchTM electronic setting
- 26x14-12 front tires
- 20x10-8 tires in the rear

Description	Price \$	
Notes		

MODEL 1570 TerrainCut

- > 72 -in deck
- 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm
- Diesel Engine 100.2 cu. in. (1.64 L)
- Three Cylinder Liquid-Cooled
- Dual Element Air Cleaner
- Air Restriction Indicator
- 12V Electric Start
- 2V Auxiliary Power Outlet
- 5 AMP Automotive Alternator
- 16 U.S. Gallon Fuel Capacity
- Two Pedal Hydrostatic Foot Control
- Hydrostatic Transmission
- Hydrostatic Front Wheel Drive
- Hydrostatic Power Steering
- Differential Front Wheel Lock
- Front Lights (steering column mounted)
- 23x10.50-12 In. 4PR Turf (std) Drive Tires
- 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 6PR Turf Steering Tires (4WD)
- Transmission Oil Cooler
- Individual Turn Assist Brakes
- Wet Disk Brakes
- Master Stop Brake
- Dual Hydraulic Implement Lift Cylinders
- Less Mower Deck –HourMeter-Tilt Steering PTO Driven Implements Operator Presence System -Low Oil Pressure Warning Light - Hydraulic Oil Temp. Light and Alarm PTO Shutdown -Folding Two Post ROPS (Roll-Over Protective Structure) and Retractable Seat - Cast Iron Rear Bumper

MODEL 1570 TerrainCut

Description	_Price \$
Notes	

3025E Compact Utility Tractor Loader

Engine Power (hp*)	24.7 hp
Displacement	1.642 L
Cylinders	3
Aspiration	Natural
PTO Horse Power	17.4 hp
Rated Engine Speed	2400rpm
Fuel Capacity (gal.)	6.2
Fuel Type	Diesel
Torque	51.3 lb-ft
Cooling System	Liquid Cooled
Starting System	Electric Key Start
Transmission	Hydrostatic
Transmission Options	N/A
Alternator	75 amp
Turning Radius	9.2 ft
Brake Type	Wet Disk
Volts	12V
Max Operating Pressure	2500 psi
Remote Control Valves	Dual Mid Valves, Optional Rear Valves
Front Tire Size	7.00-14 4PR Agricultural 11.2-24
Rear Tire Size	4PR Agricultural
Hitch Lift Capacity (lb)	1356 lbs
Ground Clearance (in.)	13"
Weight (lb)	2222 lbs
Wheelbase (in.)	60"

Standard PTO	540rpm Rear
Optional PTO	N/A
PTO Control	Independent
Platform	Semi-flat
Cab Enclosure	Aftermarket
Lift Capacity (lb)	1186

3025E Compact Utility Tractor Loader

Description	_Price\$
Notes	

SUMNER COUNTY BOARD OF EDUCATION

Purchasing Department 1500 Airport Road Gallatin, TN 37066

COMPANY NAME	
ADDRESS	
TELEPHONE	
EMAIL	
AUTHORIZED COMPANY REPRESENTATIVE	SIGNATURE
AUTHORIZED COMPANY REPRESENTATIVE	PRINTED
DATE	
BID TITLE 20170123-BOE GROU	UND MAINTENANCE EQUIPMENT FOR VARIOUS SUMNER COUNTY SCHOOLS
DEADLINE JANUARY 23, 201	7 10:30 AM CDT
BID TOTAL	\$
BID GOOD THRU	
NOTES:	